Chatfield Watershed
Soils Groups



N
W E
S

0 1 2
Miles

Legend

Map Label, Soil Group Name

1: Alamosa loam, 1 to 3 percent slopes
2: Alda loam, 0 to 2 percent slopes
3: Allens Park variant-Ratake-Rock outcrop complex, 30 to 50 percent slopes
4: Aquolls, 1 to 10 percent slopes
5: Argiustolls, loamy, 15 to 30 percent slopes
6: Argiustolls-Rock outcrop complex, 15 to 60 percent slopes
7: Arvada clay loam, 0 to 2 percent slopes
8: Ascalon sandy loam, 5 to 9 percent slopes
9: Ascalon sandy loam, 9 to 15 percent slopes
10: Baller-Rock outcrop complex, 15 to 50 percent slopes
11 : Blakeland loamy sand, 0 to 9 percent slopes
12: Blakeland loamy sand, 9 to 15 percent slopes
13: Blakeland sandy loam, 1 to 15 percent slopes
14: Blakeland-Orsa association, 1 to 4 percent slopes
15: Boyett-Frenchcreek complex, 15 to 40 percent slopes
16: Boyett-Frenchcreek complex, 2 to 15 percent slopes
17: Breece sandy loam, 9 to 25 percent slopes
18: Bresser and Truckton soils, 3 to 12 percent slopes, eroded
19: Bresser gravelly sandy loam, 9 to 25 percent slopes
20: Bresser sandy loam, 0 to 5 percent slopes
21: Bresser sandy loam, 1 to 3 percent slopes
22: Bresser sandy loam, 3 to 9 percent slopes
23: Bresser-Louviers complex, 7 to 30 percent slopes
24: Bresser-Truckton sandy loams, 5 to 25 percent slopes
25: Brussett loam, 1 to 3 percent slopes
26: Brussett loam, 3 to 9 percent slopes
27: Buick-Satanta loams, 3 to 9 percent slopes
28: Catamount-Rock outcrop complex, 15 to 70 percent slopes
29: Cathedral gravelly sandy loam, 40 to 65 percent slopes, extremely stony
30: Coni rocky loam, 3 to 100 percent slopes
31: Critchell gravelly sandy loam, 0 to 3 percent slopes
32: Critchell gravelly sandy loam, 3 to 9 percent slopes
33: Critchell gravelly sandy loam, 9 to 15 percent slopes
34: Critchell stony sandy loam, 0 to 5 percent slopes
35: Crowfoot-Tomah sandy loams, 5 to 25 percent slopes
36: Cruckton sandy loam, 1 to 9 percent slopes
37: Cruckton-Peyton sandy loams, 7 to 20 percent slopes
38: Cumulic Cryoborolls, loamy, 0 to 5 percent slopes
39: Curecanti very stony sandy loam, 15 to 50 percent slopes
40: Dam
41: Denver clay loam, 0 to 2 percent slopes
42: Denver clay loam, 2 to 5 percent slopes
43: Denver clay loam, 5 to 12 percent slopes
44: Denver clay loam, 5 to 9 percent slopes
45: Denver-Kutch clay loams, 5 to 9 percent slopes
46: Denver-Kutch clay loams, 9 to 15 percent slopes
47: Denver-Kutch-Midway clay loams, 9 to 25 percent slopes
48: Denver-Kutch-Urban land complex, 5 to 9 percent slopes
49: Denver-Urban land complex, 0 to 2 percent slopes
50: Denver-Urban land complex, 2 to 5 percent slopes
51: Denver-Urban land complex, 5 to 9 percent slopes
52: Elbroze gravelly sandy loam, 9 to 15 percent slopes
53: Elbroze variant very gravelly sandy loam, 9 to 15 percent slopes
54: Englewood clay loam
55: Englewood clay loam, 0 to 2 percent slopes
56: Fluvaquents, sandy, 0 to 2 percent slopes
57: Fondis clay loam, 1 to 3 percent slopes
58: Fondis clay loam, 3 to 9 percent slopes
59: Fondis-Kutch association
60: Garber gravelly sandy loam, 5 to 30 percent slopes
61: Garber very gravelly coarse sandy loam, 15 to 40 percent slopes
62: Garber very gravelly coarse sandy loam, 2 to 15 percent slopes
63: Gove sandy loam, 5 to 20 percent slopes
64: Gove-Shale outcrop complex, 5 to 65 percent slopes
65: Grimstone stony sandy loam, 9 to 15 percent slopes
66: Grimstone-Hiwan-Rock outcrop complex, 30 to 60 percent slopes
67: Grimstone-Peeler-Rock outcrop complex, 15 to 30 percent slopes
68: Grimstone-Peeler-Rock outcrop complex, 30 to 50 percent slopes
69: Guffey very gravelly sandy loam, 40 to 60 percent slopes
70: Guffey very gravelly sandy loam, 5 to 40 percent slopes
71: Hargreave sandy loam, 3 to 9 percent slopes
72: Hargreave-Bernal sandy loams, 9 to 15 percent slopes
73: Haverson loam, 0 to 3 percent slopes
74: Haverson loam, 3 to 9 percent slopes
75: Heldt clay
76: Heldt clay, 3 to 9 percent slopes
77: Heldt clay, 9 to 15 percent slopes
78: Herbman-Sprucedale-Rock outcrop complex, 15 to 30 percent slopes
79: Herbman-Sprucedale-Rock outcrop complex, 9 to 15 percent slopes
80: Hilly gravelly land
81: Jarre-Brussett association
82: Jugetrocky complex, 20 to 65 percent slopes
83: Jugetvery rocky complex, 20 to 65 percent slopes
84: Kassler gravelly sandy loam
85: Kassler very gravelly coarse sandy loam, 5 to 35 percent slopes
86: Kettle gravelly loamy sand, 8 to 40 percent slopes
87: Kettle loamy sand, 5 to 25 percent slopes
88: Kettle-Falcon complex, 9 to 65 percent slopes
89: Kettle-Rock outcrop complex
90: Kippen loamy sand, 1 to 20 percent slopes
91: Kittredge-Elbroze complex, 3 to 9 percent slopes
92: Kittredge-Elbroze complex, 9 to 20 percent slopes
93: Kittredge-Venable complex, 0 to 15 percent slopes
94: Kutch clay loam, 10 to 40 percent slopes
95: Kutch clay loam, 4 to 8 percent slopes
96: Kutch clay loam, 8 to 20 percent slopes
97: Kutch sandy loam, 5 to 20 percent slopes
98: Kutch-Newlin-Stapleton complex, 8 to 40 percent slopes
99: Laporte variant complex, 15 to 60 percent slopes
100: Larkson fine sandy loam, 3 to 9 percent slopes
101: Lavate sandy loam, 3 to 9 percent slopes
102: Lavate sandy loam, 9 to 15 percent slopes
103: Lavate-Bernal-Rock outcrop complex, 15 to 30 percent slopes
104: Legault very gravelly coarse sandy loam, 40 to 65 percent slopes
105: Legault very gravelly coarse sandy loam, 5 to 40 percent slopes
106: Legault-Hiwan stony loamy sands, 15 to 30 percent slopes
107: Legault-Hiwan stony loamy sands, 5 to 15 percent slopes
108: Legault-Hiwan-Rock outcrop complex, 30 to 50 percent slopes
109: Legault-Rock outcrop complex, 15 to 65 percent slopes
110: Legault-Tolvar-Rock outcrop complex, 50 to 70 percent slopes
111: Leyden-Nunn-Rooney complex, 9 to 30 percent slopes
112: Leyden-Primen-Standley cobbly clay loams, 15 to 50 percent slopes
113: Leyden-Standley-Primen cobbly clay loams, 9 to 15 percent slopes
114: Lininger-Ratake complex, 15 to 30 percent slopes
115: Lininger-Ratake complex, 5 to 15 percent slopes
116: Lininger-Trag sandy loams, 9 to 20 percent slopes
117: Loamy alluvial land
118: Loamy alluvial land, dark surface
119: Loamy wet alluvial land
120: Loveland clay loam, 0 to 1 percent slopes
121: Manzanola fine sandy loam, 0 to 2 percent slopes
122: Manzanola clay loam, 0 to 5 percent slopes
123: Manzanola clay loam, 15 to 25 percent slopes
124: Manzanola clay loam, 5 to 9 percent slopes
125: Manzanola clay loam, 9 to 15 percent slopes
126: Manzanola-Renohill-Stoneham complex, 9 to 15 percent slopes
127: McClave clay loam, 0 to 3 percent slopes
128: Midway clay loam, 9 to 30 percent slopes
129: Midway stony clay loam, 15 to 40 percent slopes
130: Miscellaneous water
131: Newlin gravelly sandy loam, 8 to 30 percent slopes
132: Newlin-Satanta complex, 5 to 20 percent slopes
133: Nunn clay loam, 0 to 2 percent slopes
134: Nunn clay loam, 2 to 5 percent slopes
135: Nunn clay loam, 5 to 9 percent slopes
136: Nunn-Urban land complex, 0 to 2 percent slopes
137: Nunn-Urban land complex, 5 to 9 percent slopes
138: Palboone-Security complex, 15 to 40 percent slopes
139: Palboone-Security complex, 40 to 70 percent slopes
140: Paymaster sandy loam, 0 to 3 percent slopes
141: Perrypark coarse sandy loam, 1 to 15 percent slopes
142: Perrypark gravelly sandy loam, 3 to 9 percent slopes
143: Perrypark sandy loam, 3 to 20 percent slopes
144: Peyton sandy loam, 1 to 3 percent slopes
145: Peyton sandy loam, 3 to 9 percent slopes
146: Peyton sandy loam, wet, 1 to 5 percent slopes
147: Peyton-Pring complex, 3 to 8 percent slopes
148: Peyton-Pring complex, 8 to 15 percent slopes
149: Peyton-Pring-Crowfoot complex, 3 to 15 percent slopes, eroded
150: Peyton-Pring-Crowfoot sandy loams, 5 to 25 percent slopes
151: Pits, clay
152: Pits, clayey
153: Pits, gravel
154: Platner loam, 3 to 5 percent slopes
155: Playas
156: Plome loamy sand, 5 to 25 percent slopes
157: Pring and Kippen gravelly sandy loams, 1 to 25 percent slopes
158: Quarry
159: Ratake-Cathedral very stony sandy loams, 25 to 60 percent slopes
160: Ratake-Cathedral-Rock outcrop complex, 25 to 60 percent north slopes
161: Ratake-Cathedral-Rock outcrop complex, 25 to 60 percent slopes
162: Ratake-Lininger stony sandy loams, 30 to 60 percent slopes
163: Razor clay, 3 to 25 percent slopes
164: Razor-Heldt clay loams, 9 to 25 percent slopes
165: Razor-Heldt-Midway cobbly clay loams, 15 to 30 percent slopes
166: Redrun clay loam, 0 to 3 percent slopes
167: Redrun clay loam, 3 to 9 percent slopes
168: Redrun clay loam, 9 to 15 percent slopes
169: Redrun loam, 3 to 10 percent slopes
170: Redrun-Chapin variant clay loams, 9 to 15 percent slopes
171: Redrun-Rednidge complex, 8 to 40 percent slopes
172: Rednidge-Chaseville gravelly sandy loams, 10 to 70 percent slopes
173: Redtom-Lonetree complex, 5 to 25 percent slopes
174: Renohill loam, 5 to 9 percent slopes
175: Renohill sandy loam, reddish variant, 5 to 20 percent slopes
176: Renohill-Buick complex, 5 to 25 percent slopes
177: Renohill-Manzanola clay loams, 3 to 20 percent slopes
178: Renohill-Manzanola clay loams, 9 to 15 percent slopes
179: Renohill-Midway complex, 9 to 15 percent slopes
180: Rock land-Lonetree complex, 10 to 100 percent slopes
181: Rock outcrop, igneous and metamorphic
182: Rock outcrop, sedimentary
183: Rock outcrop-Cathedral-Ratake complex, 50 to 100 percent slopes
184: Rock outcrop-Coldcreek-Tolman complex, 9 to 90 percent slopes
185: Rock outcrop-Security-Cathedral complex, 15 to 65 percent slopes
186: Rock outcrop-Sphinx complex, 15 to 80 percent slopes
187: Rock outcrop-Sphinx, warm complex, 15 to 80 percent slopes
188: Rogert-Herbman-Rock outcrop complex, 30 to 70 percent slopes
189: Rooney-Primen-Leyden complex, 15 to 50 percent slopes
190: Rooney-Rock outcrop complex, 50 to 70 percent slopes
191: Sampson loam
192: Sandy alluvial land
193: Sandy wet alluvial land
194: Satanta loam
195: Satanta loam, calcareous variant, 3 to 9 percent slopes
196: Satanta loam, calcareous variant, 9 to 25 percent slopes
197: Security very gravelly coarse sandy loam, 40 to 65 percent slopes
198: Security very gravelly coarse sandy loam, 5 to 40 percent slopes
199: Security-Cathedral complex, 40 to 65 percent slopes, very stony
200: Security-Cathedral-Rock outcrop complex, 15 to 65 percent slopes very stony
201: Sphinx gravelly coarse sandy loam, 15 to 40 percent slopes
202: Sphinx gravelly coarse sandy loam, 40 to 70 percent slopes
203: Sphinx gravelly coarse sandy loam, warm, 15 to 40 percent slopes
204: Sphinx gravelly coarse sandy loam, warm, 40 to 70 percent slopes
205: Sphinx, warm-Rock outcrop complex, 15 to 80 percent slopes
206: Sphinx-Rock outcrop complex, 15 to 80 percent slopes
207: Standley-Leyden-Primen very stony clay loams, 15 to 30 percent slopes
208: Standley-Nunn gravelly clay loams, 0 to 5 percent slopes
209: Stapleton loamy sand, 6 to 30 percent slopes
210: Stapleton-Bresser association
211: Stony rough land
212: Stony steep land
213: Stony steep land, cold
214: Tarryall gravelly loam, 10 to 50 percent slopes
215: Tecolote very gravelly sandy loam, 15 to 40 percent slopes, very stony
216: Tinytown-Chesman complex, 5 to 30 percent slopes
217: Tolvar very gravelly loamy sand, 15 to 30 percent slopes
218: Tomah sandy loam, 2 to 15 percent slopes
219: Tomah-Crowfoot complex, 8 to 15 percent slopes
220: Tomah-Crowfoot loamy sands, 3 to 8 percent slopes
221: Torrifluvents, very gravelly, 0 to 3 percent slope
222: Trag sandy loam, 3 to 9 percent slopes
223: Trag sandy loam, 9 to 25 percent slopes
224: Troutdale gravelly sandy loam, 3 to 9 percent slopes
225: Troutdale-Kittredge sandy loams, 5 to 15 percent slopes
226: Troutdale-Rogert-Kittredge complex, 15 to 30 percent slopes
227: Troutdale-Sprucedale gravelly sandy loams, 3 to 15 percent slopes
228: Truckton sandy loam, 0 to 3 percent slopes
229: Truckton sandy loam, 1 to 3 percent slopes
230: Truckton sandy loam, 3 to 8 percent slopes
231: Truckton sandy loam, 3 to 9 percent slopes
232: Um-Urban land complex, 5 to 9 percent slopes
233: Ustic Torriorthents, loamy, 15 to 50 percent slopes
234: Venable loam, 0 to 3 percent slopes
235: Venable loam, 3 to 9 percent slopes
236: Water
237: Westcreek gravelly loam, 10 to 30 percent slopes
238: Yoder variant gravelly sandy loam, 9 to 30 percent slopes

FEB 18, 2013 P:\425471X\345447-1000\GIS\MXD\CHATFIELD_SOILS2.MXD

TETRA TECH